# **AMC SUPERFOAM™**

# **FOAMING AGENTS & DETERGENTS**



# **Description**

AMC SUPERFOAM™ is a biodegradable mixture of anionic surfactants which has been formulated for use in the mineral and water well drilling industries.

# **Application**

AMC SUPERFOAM may be used in a variety of air drilling operations, ranging from simple air drilling to stiff foam drilling where the foam is reinforced by the use of polymers such as AMC LIQUI POL $^{\text{M}}$ , AMC EZEE PAC R $^{\text{M}}$  or AMC GUAR GUM $^{\text{M}}$ .

# **Typical Physical Properties**

Appearance: Fluorescent yellow liquid

Solubility: Soluble in water

**pH**: 7 – 9.5

# **Recommended Treatment**

# Mist Drilling

AMC SUPERFOAM<sup>m</sup> should be mixed with water at 0.25 – 0.5 % by voume and injected into the air stream. The rate of injection will depend on hole size, compressor output and water flow rate etc.

# Foam Drilling

If water flow rates are high and compressor limits are reached, up to 0.5 - 2.0 % by volume of AMC SUPERFOAM<sup>M</sup>. This can also be poured neat down the rod string at each rod change, at 1 - 2L.

# Stiff Foam Drilling

Stiff foam applications include areas of severe lost circulation, large diameter holes and unconsolidated formations. Stiff foam can be prepared by injecting a base slurry of 35 – 45 seconds per litre viscosity fluid prepared as follows:

Mix AMC FS 2000 $^{\rm m}$ , 1 - 2kg per 1000L or AMC EZEE PAC R $^{\rm m}$ , 2 - 4 kg per 1000L and AMC SUPERFOAM $^{\rm m}$  10 - 15L per 1000L.

# **Advantages**

- · Rapidly generates high volumes of highly stable foam
- Economical
- Reduces borehole erosion when drilling poorly consolidated formations
- Improves hole cleaning and increases penetration rates
- · Effective dust suppressant
- · Reduces air requirements
- · Reduces the tendency of softer clays to stick together
- · Environmentally acceptable.

Please Note: Several factors will dictate the most appropriate concentration rate. Please contact your nearest AMC representative for optimum results.

# **ASIA PACIFIC**

# Perth, Australia (Head Office)

T +61 8 9445 4000

E amc@imdexlimited.com

#### Indonesia

T +62 (0) 21 759 11244

### AFRICA

### South Africa

T +27 (11) 908 5595

### **EUROPE**

#### Germany

T +49 4402 6950-0

#### **United Kingdom**

T +44 (0) 1273 483 700

### SOUTH AMERICA

# Argentina

T +54 (9) 261 573 2222

#### Brazil

T +55 (47) 3404 5920

#### Chile

T +56 (2) 2589 9300

#### Peru

T + 51 (1) 322 8850

### NORTH AMERICA

# USA / Canada

T +801-364-0233

#### Mexico

T +52 (871) 169 2095

